





The latest products and services for Design and Development engineers and engineering managers are just a click away!

Featured eCards September 2006

COMPONENTS / INTERCONNECT







TEST & MEASUREMENT







COMPUTERS & BOARDS





For more information about advertising in a future EDN/TMW eCard deck, please contact:
Judy Keseberg at 800-417-5370 or
Kathy McNamara at 800-438-6597





TEST & MEASUREMENT

Datag Instruments

241 Springside Drive Akron, OH 44333 T: 330-668-1444 F: 330-666-5434





Web site: www.dataq.com/edn

TEST & MEASUREMENT

Keithley Instruments

28775 Aurora Road Cleveland, OH 44139 T: 800-588-9238 F: 440-498-2895

Request your **FREE** copy of Keithley's Pulse I-V Measurement Guide CD. Visit www.keithley.com/at/378.

www.keithley.com

Pulse I-V Measurement Guide

Pulse I-V testing offers a new approach to addressing device test challenges like advanced semiconductor materials, shrinking device dimensions, and higher operating speeds. Keithley's new *Pulse I-V Measurement Guide CD* offers a variety of information for configuring pulse testing systems. Topics include:

- Gate dielectric C-V characterization
- Four-probe resistivity and Hall voltage measurements
- I-V measurements of nanoscale wires and tubes
- Channel hot carrier (CHC) degradation of MOSFET devices
- Oxide reliability evaluation using V-ramp and J-ramp techniques

You can also request your FREE copy by calling 1-800-588-9238 (US only).



A GREATER MEASURE OF CONFIDENCE





Web site: www.keithley.com

TEST & MEASUREMENT

Hart Scientific

799 E. Utah Valley Drive American Fork, UT 84003

T: 800-438-4278 801-763-1600 F: 801-763-1010



Lab-accurate, field ready temperature calibration



Hart Scientific®

Metrology Wells deliver lab accuracy anywhere

The 917X Metrology Wells from Fluke's Hart Scientific Division are accurate enough to use in the lab, and rugged and portable enough to take anywhere. With their wide temperature range, from -45°C to 700°C, they handle applications that require:

- Lab-level accuracy to ±0.1°C (Metrology Well display); to ±0.006°C (built in reference thermometer input)
- Maximum stability to ±0.005°C
- Temperature uniformity to ±0.01°C
- Extra depth the 203 mm (8 in) immersion depth is the deepest on the market.

Find out how the Fluke Hart 917X can give you more confidence in your calibrations.

Go to www.hartscientific.com, call 1-800-438-4278, or e-mail to info@hartscientific.com



Product

Make An Inquiry

Web site: www.hartscientific.com

COMPONENTS / INTERCONNECT

BEI **Industrial Encoder Division**

7230 Hollister Avenue Goleta, CA 93117

T: 800-ENCODER (362-6337)

F: 805-968-3154



Product

Make An Inauirv

Web site: www.beijed.com



COMPONENTS / INTERCONNECT

Equipto Electronics

351 Woodlawn Ave Aurora IL 60506 T: 800-204-7225 F: 630-897-5314



Electronics packaging for exceptionally high EMI/RFI attenuation

When your specs call for exceptionally high EMI/RFI attenuation and resistance to earthquakes, our shielded enclosures will meet the requirements.

- 80 Db attenuation at 1 GHz
- 60 Db attenuation at 10 GHz
- Shielded i/o access and air filtering
- Seismic resistance tested to NEBS TR 63 for Zone 4
- Shock and vibration requirements, including Mil-Spec 810 and 901, FCC/VDE, EMP/TEM

PEST and others

For more information, call us: 800-204-7225

fax: 630-987-5314

Web: www.equiptoelec.com, e-mail: info@equiptoelec.com

Electronics Corporation Aurora, IL 60506

Product URL

Make An Inquiry

Web site: www.equiptoelec.com

COMPONENTS / INTERCONNECT

Hammond Mfg.

475 Cayuga Rd, Suite 100 Cheektowaga, NY 14225 T: 716-630-7030

F: 716-630-7042





Web site: www.hammondmfg.com




COMPUTERS & BOARDS

Sunstone Circuits

13626 S. Freeman Road Mulino, OR 97042 T: 503.829.9108 F: 503.829.5482



Web site: www.sunstone.com









For more information about advertising in future EDN/TMW eCard decks:

Please Contact

Judy Keseberg at 800-417-5370

judy.keseberg@reedbusiness.com

or

Kathy McNamara at 800-438-6597 kathy.mcnamara@reedbusiness.com